

APPLICATIONS

Commercial, Industrial, and Residential Plumbing

Push Fit Fittings & Components

High-Quality Plumbing Products with Superior Fit and Finish





Push Fit Fittings & Components

Table of Contents

Production Information
Female Adapters2
Male Adapters
Cap Stop Ends
Couplings
Elbows
Drop Ear Elbows
Tees3
Anti-Freeze Valves
Ball Valves
Check Valves
Chrome Turn Angle Stops
Chrome Turn Straight Stops
Removal Tools









Push Fit Fittings & Components

Excellent Connection for Various Materials, Eliminates Soldering and Welding

- Uses dezincification-resistant (DZR) brass alloy
- · Approved to be installed in walls
- Pre-installed reinforcement sleeves for easy field installation
- Quick, easy, durable connectors compatible with copper, CPVC, PEX, PE-RT, and HDPE pipe

Certifications and Approvals

- cUPC
- NSF61 Certified
- ANSI/NSF 14, 61, and 372

Symbols

FNPT Female, internal ANSI Standard taper pipe thread (NPTI)

MNPT Male, external ANSI Standard taper pipe thread (NPTE)

OD Outer Dimension

MGH Male garden hose threads







Female Adapters (Push x FNPT)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
PF3-08	1/2" x 1/2" Adapter	10	0.128	58.1
PF3-08-12	1/2" x 3/4" Adapter	5	0.165	74.8
PF3-12	3/4" x 3/4" Adapter	5	0.205	93.0
PF3-16	1" x 1" Adapter	5	0.287	130.2



Male Adapters (Push x MNPT)

PART#	OD - DESCRIPTION	вох QTY	WT (LB)	WT (G)
PF4-08	1/2" x 1/2" Adapter	5	0.121	54.9
PF4-08-12	1/2" x 3/4" Adapter	5	0.165	74.8
PF4-12	3/4" x 3/4" Adapter	5	0.187	84.8
PF4-16	1" x 1" Adapter	5	0.265	120.2
PF4-16-12	1" x 3/4" Adapter	5	0.243	110.2



Cap Stop Ends

PART#	OD - DESCRIPTION	вох сту	WT (LB)	WT (G)
PF17-08	1/2" Cap Stop End	5	0.077	35.0
PF17-12	3/4" Cap Stop End	5	0.124	56.0
PF17-16	1" Cap Stop End	5	0.198	90.0



Couplings

PART#	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
PF0-08	1/2" x 1/2" Coupling	5	0.121	55.0
PF0-12	3/4" x 3/4" Coupling	5	0.203	92.0
PF0-12-08	3/4" x 1/2" Coupling	5	0.172	78.0
PF0-16	1" x 1" Coupling	5	0.309	140.0



Elbows

PART#	OD - DESCRIPTION	вох QTY	WT (LB)	WT (G)
PF73-08	1/2" x 1/2" Elbow (Push x FNPT)	5	0.165	75.0
PF74-08	1/2" x 1/2" Elbow (Push x MNPT)	5	0.165	75.0
PF7-08	1/2" x 1/2" Elbow	5	0.150	68.0
PF7-12	3/4" x 3/4" Elbow	5	0.262	119.0
PF7-12-08	3/4" x 1/2" Elbow	5	0.198	90.0
PF7-16	1" x 1" Elbow	5	0.467	212.0
PF7-16-12	1" x 3/4" Elbow	5	0.370	168.0



Drop Ear Elbows

PART#	OD - DESCRIPTION	вох оту	WT (LB)	WT (G)
PF75-08	1/2" x 1/2" Drop Ear Elbow (P x P)	10	0.203	92.0
PF735-08	1/2" x 1/2" Drop Ear Elbow (Push x FIP)	10	0.000	0.0



Tees

PART#	OD - DESCRIPTION	вох сту	WT (LB)	WT (G)
PFT-08	1/2" x 1/2" x 1/2" Tee	5	0.216	98.0
PFT-12	3/4" x 3/4" x 3/4" Tee	5	0.353	160.0
PFT-12-08-08	3/4" x 1/2" x 1/2" Tee	5	0.254	115.0
PFT-12-08-12	3/4" x 1/2" x 3/4" Tee	5	0.320	145.0
PFT-12-12-08	3/4" x 3/4" x 1/2" Tee	5	0.320	145.0
PFT-16	1" x 1" x 1" Tee	5	0.650	295.0
PFT-16-16-12	1" x 1" x 3/4" Tee	5	0.523	237.0



Antifreeze Valves (Push x MGH)

PART #	OD - DESCRIPTION	вох QTY	WT (LB)	WT (G)
PFFFVB-4	4" 1/2" x 3/4" Antifreeze Valve	EA	0.893	405.1
PFFFVB-6	6" 1/2" x 3/4" Antifreeze Valve	EA	0.959	435.0
PFFFVB-8	8" 1/2" x 3/4" Antifreeze Valve	EA	1.025	464.9
PFFFVB-10	10" 1/2" x 3/4" Antifreeze Valve	EA	1.091	494.9



Antifreeze Valves (Push x MGH) - Continued

PART #	OD - DESCRIPTION	вох оту	WT (LB)	WT (G)
PFFFVB-12	12" 1/2" x 3/4" Antifreeze Valve	EA	1.157	524.8
PFFFVB-14	14" 1/2" x 3/4" Antifreeze Valve	EA	1.224	555.2



Ball Valves

PART#	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
PFBBV-08	1/2" Ball Valve	5	0.465	211.0
PFBBV-12	3/4" Ball Valve	2	0.695	315.0
PFBBV-16	1" Ball Valve	5	1.160	526.0



Check Valves

PART #	OD - DESCRIPTION	вох QTY	WT (LB)	WT (G)
PFCHK-08	1/2" Push Fit Check Valve	10	0.165	75.0
PFCHK-12	3/4" Push Fit Check Valve	5	0.342	155.0
PFCHK-16	1" Push Fit Check Valve	2	0.547	248.0



Chrome Turn Angle Stop (OD P x Comp)

PART #	OD - DESCRIPTION	вох QTY	WT (LB)	WT (G)
PFVBALPFCA-0804	1/2" x 1/4" 1/4" Chrome Turn Angle Stop	5	0.260	117.9
PFVBALPFCA-0806	1/2" x 3/8" 1/4" Chrome Turn Angle Stop	5	0.271	122.9
PFVBALPFCA-0808	1/2" x 1/2" 1/4" Chrome Turn Angle Stop	5	0.324	147.0
PFVBALPFCA-0810	1/2" x 5/8" 1/4" Chrome Turn Angle Stop	5	0.364	165.1



Chrome Turn Straight Stop (OD P x Comp)

PART #	OD - DESCRIPTION	вох QTY	WT (LB)	WT (G)
PFVBALPFCS-0804	1/2" x 1/4" 1/4" Chrome Turn Straight Stop	5	0.258	117.0
PFVBALPFCS-0806	1/2" x 3/8" 1/4" Chrome Turn Straight Stop	5	0.260	118.0
PFVBALPFCS-0808	1/2" x 1/2" 1/4" Chrome Turn Straight Stop	5	0.324	147.0
PFVBALPFCS-0810	1/2" x 5/8" 1/4" Chrome Turn Straight Stop	5	0.364	165.0



Removal Tools

PART#	OD - DESCRIPTION	вох оту	WT (LB)	WT (G)
PFRT-08	1/2" Removal Tool	5	0.077	34.9
PFRT-12	3/4" Removal Tool	5	0.124	56.2
PFRT-16	1" Removal Tool	5	0.198	89.8





FAST ORDER TURNAROUND

Our Operations Center is strategically located in the Memphis, Tennessee metro area to streamline delivery and bolster the customer service that NDL is known for throughout the industry.



We Focus on Quality and Service So You Can Install with Confidence.

Since 1998, our mission has been to stay ahead of the curve as an industry leader in the HVAC, Refrigeration, and Plumbing markets. We have achieved this over the years by heavily emphasizing quality, and innovation, and maintaining a global team of experienced professionals to deliver top-notch service. We continue to hold ourselves to the highest standards, never sacrificing our commitment to our customers or our product that has what made us the company we are today.

What you can expect from us:

- Fast order turnaround
- · Real-time order communications
- · Field-experienced sales and technical support
- Parts packaged in contractor-friendly sized bags
- · High-quality control standards for superior fit and finish



Offering the Same High-Quality Standards with all of our Plumbing Products.

Building on our success gained from our HVAC-R products, we have grown our offerings to include plumbing products as well which include PAC Fittings that are ASME approved. Consider NDL for copper press fittings, plumbing (WOG) valves, PEX, PPSU PEX, PVC, water hose connectors and more!

See all of our plumbing products at <u>ndlinc.com</u>.









