



NDL Industries

APPLICATIONS

Commercial, Industrial, and Residential Plumbing

Copper Press Fittings

High-Quality Plumbing Products with Superior Fit and Finish





Copper Press Fittings

Table of Contents

| | |
|----------------------------------|--------------------|
| Production Information | 1 |
| Female Adapters..... | 2, 3 |
| Male Adapters..... | 3, 4 |
| Press & PEX Adapters | 4 |
| Adapter Flanges | 4 |
| Bushing Reducers..... | 5 |
| Caps | 5, 6 |
| Coupling Reducers | 6, 7 |
| No Stop Couplings | 7 |
| Extended No Stop Couplings | 7 |
| Couplings with Stop | 8 |
| Crossovers | 8 |
| 45° Elbows | 8, 9 |
| 45° Street Elbows | 9 |
| 90° Elbows | 9, 10 |
| 90° Drop Ear Elbows | 10 |
| 90° Street Elbows | 10 |
| O-Rings | 10 |
| Tees..... | 11 |
| Reducing Tees | 11, 12, 13, 14, 15 |
| Unions | 15, 16 |
| Dielectric Unions..... | 16 |



Explore our full line of high-quality HVAC-R and plumbing products.

ndlinc.com | 1-866-635-6888 | sales@ndlinc.com

@ndlindustries





Copper Press Fittings

Elevating Plumbing Efficiency with Cutting-Edge Innovation & Ultimate Performance

- Zero-reported failure rate combined with a leak detection commercial-grade EDPM O-ring that instantly identifies unpressed connections.
- Ranging from sizes 1/2" - 4", small quantities of individual items are available and can be packaged together in one order without meeting minimums in any category.
- Compatible for use on all ASTM B88 K, L, and M hard-drawn copper tubing.
- NDL press fittings use the highly regarded "v" profile jaw sets that resemble the industry leader in terms of pattern, size, finish, and overall appearance.
- Manufactured to be used for potable water, hydronic heating (with glycol), chilled water, compressed air (200 PSI max.), non-medical gases (140 PSI max.), and low pressure steam (15 PSI max.).

Certifications and Approvals

- Materials: ASME/ASTM B42 C12200 (99.9% cu)
- Dimensions: IAPMO PS 117-2016
- Threads: ASME/ASTM B1.20.1
- Drinking water: NSF/ANSI STANDARD 61 - 372 (Lead free)
- Other: ISO9001, ISO14001

Symbols

- P** Press Fitting
- FIP** Female iron pipe thread NPT
- FPT** Female pipe thread NPT
- MPT** Male pipe thread NPT



Explore our full line of high-quality HVAC-R and plumbing products.

ndlinc.com | 1-866-635-6888 | sales@ndlinc.com



Female Adapters (P x FPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|--------------------------------|---------|---------|--------|
| CP3-08 | 1/2" Female Adapter | 10 | 0.10 | 45.4 |
| CP3-12 | 3/4" Female Adapter | 10 | 0.17 | 77.1 |
| CP3-16 | 1" Female Adapter | 10 | 0.25 | 113.4 |
| CP3-20 | 1-1/4" Female Adapter | EA | 0.34 | 154.2 |
| CP3-24 | 1-1/2" Female Adapter | EA | 0.53 | 240.4 |
| CP3-32 | 2" Female Adapter | EA | 0.78 | 353.8 |
| CP3-40 | 2-1/2" Female Adapter | EA | 1.6 | 725.7 |
| CP3-48 | 3" Female Adapter | EA | 2.2 | 997.9 |
| CP3-64 | 4" Female Adapter | EA | 3.8 | 1723.6 |
| CP3-08-06 | 1/2" x 3/8" Female Adapter | 10 | 0.09 | 40.8 |
| CP3-08-12 | 1/2" x 3/4" Female Adapter | 10 | 0.15 | 68.0 |
| CP3-12-08 | 3/4" x 1/2" Female Adapter | 10 | 0.17 | 77.1 |
| CP3-16-08 | 1" x 1/2" Female Adapter | 10 | 0.29 | 131.5 |
| CP3-16-12 | 1" x 3/4" Female Adapter | 10 | 0.22 | 99.8 |
| CP3-16-20 | 1" x 1-1/4" Female Adapter | 10 | 0.46 | 208.7 |
| CP3-20-16 | 1-1/4" x 1" Female Adapter | EA | 0.29 | 131.5 |
| CP3-20-24 | 1-1/4" x 1-1/2" Female Adapter | EA | 0.62 | 281.2 |
| CP3-24-20 | 1-1/2" x 1-1/4" Female Adapter | EA | 0.46 | 208.7 |




Female Street Adapters (FTG x FPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|------------|-------------------------------------|---------|---------|--------|
| CPFS-08-08 | 1/2" Female Street Adapter | 5 | 0.106 | 48.1 |
| CPFS-08-12 | 1/2" x 3/4" Female Street Adapter | 5 | 0.142 | 64.4 |
| CPFS-12-08 | 3/4" x 1/2" Female Street Adapter | 5 | 0.112 | 50.8 |
| CPFS-12-12 | 3/4" Female Street Adapter | 5 | 0.146 | 66.2 |
| CPFS-16-08 | 1" x 1/2" Female Street Adapter | EA | 0.179 | 81.2 |
| CPFS-16-12 | 1" x 3/4" Female Street Adapter | EA | 0.221 | 100.2 |
| CPFS-16-16 | 1" Female Street Adapter | EA | 0.273 | 123.8 |
| CPFS-20-08 | 1-1/4" x 1/2" Female Street Adapter | EA | 0.278 | 126.1 |
| CPFS-20-20 | 1-1/4" Female Street Adapter | EA | 0.402 | 182.3 |
| CPFS-24-24 | 1-1/2" Female Street Adapter | EA | 0.527 | 239.0 |



Female Street Adapters (FTG x FPT) - Continued

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|------------|--------------------------|---------|---------|--------|
| CPFS-32-32 | 2" Female Street Adapter | EA | 0.845 | 383.3 |



Male Adapters (P x MPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|------------------------------|---------|---------|--------|
| CP4-08 | 1/2" Male Adapter | 10 | 0.11 | 49.9 |
| CP4-12 | 3/4" Male Adapter | 10 | 0.19 | 86.2 |
| CP4-16 | 1" Male Adapter | 10 | 0.28 | 127.0 |
| CP4-20 | 1-1/4" Male Adapter | EA | 0.37 | 167.8 |
| CP4-24 | 1-1/2" Male Adapter | EA | 0.63 | 285.8 |
| CP4-32 | 2" Male Adapter | EA | 0.89 | 403.7 |
| CP4-40 | 2-1/2" Male Adapter | EA | 1.62 | 734.8 |
| CP4-48 | 3" Male Adapter | EA | 2.23 | 1011.5 |
| CP4-64 | 4" Male Adapter | EA | 3.82 | 1732.7 |
| CP4-08-06 | 1/2" x 3/8" Male Adapter | 10 | 0 | 0.0 |
| CP4-08-12 | 1/2" x 3/4" Male Adapter | 10 | 0.19 | 86.2 |
| CP4-12-08 | 3/4" x 1/2" Male Adapter | 10 | 0.17 | 77.1 |
| CP4-12-16 | 3/4" x 1" Male Adapter | 10 | 0.3 | 136.1 |
| CP4-16-08 | 1" x 1/2" Male Adapter | 10 | 0.31 | 140.6 |
| CP4-16-12 | 1" x 3/4" Male Adapter | 10 | 0.24 | 108.9 |
| CP4-16-20 | 1" x 1-1/4" Male Adapter | 10 | 0.45 | 204.1 |
| CP4-20-16 | 1-1/4" x 1" Male Adapter | EA | 0.34 | 154.2 |
| CP4-20-24 | 1-1/4" x 1-1/2" Male Adapter | EA | 0.59 | 267.6 |



Male Street Adapters (FTG x MPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|------------|---------------------------------|---------|---------|--------|
| CPMS-08-06 | 1/2" x 3/8" Male Street Adapter | 5 | 0.069 | 31.3 |
| CPMS-08-08 | 1/2" Male Street Adapter | 5 | 0.107 | 48.5 |
| CPMS-08-12 | 1/2" x 3/4" Male Street Adapter | 5 | 0.157 | 71.2 |
| CPMS-12-08 | 3/4" x 1/2" Male Street Adapter | 5 | 0.103 | 46.7 |
| CPMS-12-12 | 3/4" Male Street Adapter | 5 | 0.155 | 70.3 |



Male Street Adapters - *Continued*

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|------------|--------------------------------|---------|---------|--------|
| CPMS-16-12 | 1" x 3/4" Male Street Adapter | 5 | 0.177 | 80.3 |
| CPMS-16-16 | 1" Male Street Adapter | 5 | 0.242 | 109.8 |
| CPMS-20-20 | 1-1/4" Male Street Adapter | EA | 0.505 | 229.1 |
| CPMS-24-24 | 1-1/2" Male Street Adapter | EA | 0.594 | 269.4 |
| CPMS-32-32 | 2" Male Street Adapter | EA | 0.911 | 413.2 |
| CPFS-32-32 | 2" Female Street Adapter | EA | 0.845 | 383.3 |
| CP3-12-08 | 3/4" x 1/2" Female Adapter | 10 | 0.17 | 77.1 |
| CP3-16-08 | 1" x 1/2" Female Adapter | 10 | 0.29 | 131.5 |
| CP3-16-12 | 1" x 3/4" Female Adapter | 10 | 0.22 | 99.8 |
| CP3-16-20 | 1" x 1-1/4" Female Adapter | 10 | 0.46 | 208.7 |
| CP3-20-16 | 1-1/4" x 1" Female Adapter | EA | 0.29 | 131.5 |
| CP3-20-24 | 1-1/4" x 1-1/2" Female Adapter | EA | 0.62 | 281.2 |
| CP3-24-20 | 1-1/2" x 1-1/4" Female Adapter | EA | 0.46 | 208.7 |



Press & PEX Adapters (Coupling)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|-------------------------------------|---------|---------|--------|
| CPCP-08 | 1/2" Press & PEX Adapter (Coupling) | 20 | 0.06 | 27.2 |
| CPCP-12 | 3/4" Press & PEX Adapter (Coupling) | 20 | 0.097 | 44.0 |
| CPCP-16 | 1" Press & PEX Adapter (Coupling) | 10 | 0.148 | 67.1 |



Adapter Flanges (4" P - BP)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|---------------------------------|---------|---------|--------|
| CP41-16 | 1" Adapter Flange 4" P - BP | EA | 2.8 | 1270.1 |
| CP41-20 | 1-1/2" Adapter Flange 4" P - BP | EA | 3.859 | 1750.4 |
| CP41-24 | 1-1/4" Adapter Flange 4" P - BP | EA | 3.197 | 1450.1 |
| CP41-32 | 2" Adapter Flange 4" P - BP | EA | 5.49 | 2490.2 |
| CP41-40 | 2-1/2" Adapter Flange 4" P - BP | EA | 6.267 | 2842.7 |
| CP41-48 | 3" Adapter Flange 4" P - BP | EA | 7.627 | 3459.5 |
| CP41-64 | 4" Adapter Flange 8" P - BP | EA | 11.874 | 5386.0 |



Bushing Reducers (FTG x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|------------|---------------------------------|---------|---------|--------|
| CP02-12-08 | 3/4" x 1/2" Bushing Reducer | 10 | 0.097 | 44.0 |
| CP02-16-08 | 1" x 1/2" Bushing Reducer | 10 | 0.127 | 57.6 |
| CP02-16-12 | 1" x 3/4" Bushing Reducer | 10 | 0.144 | 65.3 |
| CP02-20-08 | 1-1/4" x 1/2" Bushing Reducer | 5 | 0.17 | 77.1 |
| CP02-20-12 | 1-1/4" x 3/4" Bushing Reducer | 5 | 0.195 | 88.5 |
| CP02-20-16 | 1-1/4" x 1" Bushing Reducer | 5 | 0.19 | 86.2 |
| CP02-24-08 | 1-1/2" x 1/2" Bushing Reducer | EA | 0.319 | 144.7 |
| CP02-24-12 | 1-1/2" x 3/4" Bushing Reducer | EA | 0.276 | 125.2 |
| CP02-24-16 | 1-1/2" x 1" Bushing Reducer | EA | 0.299 | 135.6 |
| CP02-24-20 | 1-1/2" x 1-1/4" Bushing Reducer | EA | 0.298 | 135.2 |
| CP02-32-08 | 2" x 1/2" Bushing Reducer | EA | 0.535 | 242.7 |
| CP02-32-12 | 2" x 3/4" Bushing Reducer | EA | 0.533 | 241.8 |
| CP02-32-16 | 2" x 1" Bushing Reducer | EA | 0.406 | 184.2 |
| CP02-32-20 | 2" x 1-1/4" Bushing Reducer | EA | 0.418 | 189.6 |
| CP02-32-24 | 2" x 1-1/2" Bushing Reducer | EA | 0.463 | 210.0 |
| CP02-40-16 | 2-1/2" x 1" Bushing Reducer | EA | 0.754 | 342.0 |
| CP02-40-20 | 2-1/2" x 1-1/4" Bushing Reducer | EA | 0.743 | 337.0 |
| CP02-40-24 | 2-1/2" x 1-1/2" Bushing Reducer | EA | 0.884 | 401.0 |
| CP02-40-32 | 2-1/2" x 2" Bushing Reducer | EA | 0.775 | 351.5 |
| CP02-48-20 | 3" x 1-1/4" Bushing Reducer | EA | 1.008 | 457.2 |
| CP02-48-24 | 3" x 1-1/2" Bushing Reducer | EA | 1.158 | 525.3 |
| CP02-48-32 | 3" x 2" Bushing Reducer | EA | 0.886 | 401.9 |
| CP02-48-40 | 3" x 2-1/2" Bushing Reducer | EA | 1.191 | 540.2 |
| CP02-64-32 | 4" x 2" Bushing Reducer | 10 | 1.885 | 855.0 |
| CP02-64-40 | 4" x 2-1/2" Bushing Reducer | EA | 2.117 | 960.3 |
| CP02-64-48 | 4" x 3" Bushing Reducer | EA | 2.297 | 1041.9 |



Caps (P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|------------------|---------|---------|--------|
| CP17-08 | 1/2" Cap | 10 | 0.056 | 25.4 |
| CP17-12 | 3/4" Cap | 10 | 0.088 | 39.9 |



Caps (P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|------------------|---------|---------|--------|
| CP17-16 | 1" Cap | 5 | 0.117 | 53.1 |
| CP17-20 | 1-1/4" Cap | EA | 0.185 | 83.9 |
| CP17-24 | 1-1/2" Cap | EA | 0.33 | 149.7 |
| CP17-32 | 2" Cap | EA | 0.436 | 197.8 |
| CP17-40 | 2-1/2" Cap | EA | 0.739 | 335.2 |
| CP17-48 | 3" Cap | EA | 1.025 | 464.9 |
| CP17-64 | 4" Cap | EA | 1.852 | 840.1 |



Coupling Reducers (P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|----------------------------------|---------|---------|--------|
| CP0-12-08 | 3/4" x 1/2" Coupling Reducer | 10 | 0.124 | 56.2 |
| CP0-16-08 | 1" x 1/2" Coupling Reducer | 10 | 0.172 | 78.0 |
| CP0-16-12 | 1" x 3/4" Coupling Reducer | 10 | 0.177 | 80.3 |
| CP0-20-08 | 1-1/4" x 1/2" Coupling Reducer | EA | 0.258 | 117.0 |
| CP0-20-12 | 1-1/4" x 3/4" Coupling Reducer | EA | 0.258 | 117.0 |
| CP0-20-16 | 1-1/4" x 1" Coupling Reducer | EA | 0.258 | 117.0 |
| CP0-24-08 | 1-1/2" x 1/2" Coupling Reducer | EA | 0.427 | 193.7 |
| CP0-24-12 | 1-1/2" x 3/4" Coupling Reducer | EA | 0.427 | 193.7 |
| CP0-24-16 | 1-1/2" x 1" Coupling Reducer | EA | 0.428 | 194.1 |
| CP0-24-20 | 1-1/2" x 1-1/4" Coupling Reducer | EA | 0.4 | 181.4 |
| CP0-32-08 | 2" x 1/2" Coupling Reducer | EA | 0.595 | 269.9 |
| CP0-32-12 | 2" x 3/4" Coupling Reducer | EA | 0.595 | 269.9 |
| CP0-32-16 | 2" x 1" Coupling Reducer | EA | 0.591 | 268.1 |
| CP0-32-20 | 2" x 1-1/4" Coupling Reducer | EA | 0.552 | 250.4 |
| CP0-32-24 | 2" x 1-1/2" Coupling Reducer | EA | 0.595 | 269.9 |
| CP0-40-16 | 2-1/2" x 1" Coupling Reducer | EA | 0.827 | 375.1 |
| CP0-40-20 | 2-1/2" x 1-1/4" Coupling Reducer | EA | 0.851 | 386.0 |
| CP0-40-24 | 2-1/2" x 1-1/2" Coupling Reducer | EA | 0.986 | 447.2 |
| CP0-40-32 | 2-1/2" x 2" Coupling Reducer | EA | 1.047 | 474.9 |
| CP0-48-24 | 3" x 1-1/2" Coupling Reducer | EA | 1.246 | 565.2 |
| CP0-48-32 | 3" x 2" Coupling Reducer | EA | 1.29 | 585.1 |

Coupling Reducers (P x P) - Continued



| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|------------------------------|---------|---------|--------|
| CP0-48-40 | 3" x 2-1/2" Coupling Reducer | EA | 1.51 | 684.9 |
| CP0-64-32 | 4" x 2" Coupling Reducer | EA | 2.09 | 948.0 |
| CP0-64-40 | 4" x 2-1/2" Coupling Reducer | EA | 2.333 | 1058.2 |
| CP0-64-48 | 4" x 3" Coupling Reducer | EA | 2.483 | 1126.3 |

No Stop Couplings (P x P)



| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------------|---------------------------|---------|---------|--------|
| CP0-NSTOP-08 | 1/2" Coupling (no stop) | 10 | 0.08 | 36.3 |
| CP0-NSTOP-12 | 3/4" Coupling (no stop) | 10 | 0.131 | 59.4 |
| CP0-NSTOP-16 | 1" Coupling (no stop) | 5 | 0.163 | 73.9 |
| CP0-NSTOP-20 | 1-1/4" Coupling (no stop) | EA | 0.241 | 109.3 |
| CP0-NSTOP-24 | 1-1/2" Coupling (no stop) | EA | 0.472 | 214.1 |
| CP0-NSTOP-32 | 2" Coupling (no stop) | EA | 0.593 | 269.0 |
| CP0-NSTOP-40 | 2-1/2" Coupling (no stop) | EA | 1.202 | 545.2 |
| CP0-NSTOP-48 | 3" Coupling (no stop) | EA | 1.665 | 755.2 |
| CP0-NSTOP-64 | 4" Coupling (no stop) | EA | 2.867 | 1300.4 |

Extended No Stop Couplings (P x P)



| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------------|------------------------------------|---------|---------|--------|
| CP0-ENSTOP-08 | 1/2" Extended Coupling (no stop) | 5 | 0.136 | 61.7 |
| CP0-ENSTOP-12 | 3/4" Extended Coupling (no stop) | 5 | 0.209 | 94.8 |
| CP0-ENSTOP-16 | 1" Extended Coupling (no stop) | 5 | 0.284 | 128.8 |
| CP0-ENSTOP-20 | 1-1/4" Extended Coupling (no stop) | EA | 0.394 | 178.7 |
| CP0-ENSTOP-24 | 1-1/2" Extended Coupling (no stop) | EA | 0.68 | 308.4 |
| CP0-ENSTOP-32 | 2" Extended Coupling (no stop) | EA | 0.9 | 408.2 |



Couplings with Stop (P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------|------------------------|---------|---------|--------|
| CP0-08 | 1/2" Coupling w/stop | 10 | 0.08 | 36.3 |
| CP0-12 | 3/4" Coupling w/stop | 10 | 0.131 | 59.4 |
| CP0-16 | 1" Coupling w/stop | 5 | 0.163 | 73.9 |
| CP0-20 | 1-1/4" Coupling w/stop | EA | 0.243 | 110.2 |
| CP0-24 | 1-1/2" Coupling w/stop | EA | 0.474 | 215.0 |
| CP0-32 | 2" Coupling w/stop | EA | 0.604 | 274.0 |
| CP0-40 | 2-1/2" Coupling w/stop | EA | 1.211 | 549.3 |
| CP0-48 | 3" Coupling w/stop | EA | 1.669 | 757.0 |
| CP0-64 | 4" Coupling w/stop | EA | 2.882 | 1307.3 |



Crossovers (P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|------------------|---------|---------|--------|
| CP36-08 | 1/2" Crossover | 10 | 0.237 | 107.5 |
| CP36-12 | 3/4" Crossover | 10 | 0.321 | 145.6 |

Street Crossovers (FTG x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|-------------------------|---------|---------|--------|
| CP36-2-08 | 1/2" Crossover (Street) | 10 | 0.185 | 83.9 |
| CP36-2-12 | 3/4" Crossover (Street) | 10 | 0.187 | 84.8 |



45° Elbows (P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------|------------------|---------|---------|--------|
| CP6-08 | 1/2" 45° Elbow | 10 | 0.091 | 41.3 |
| CP6-12 | 3/4" 45° Elbow | 10 | 0.143 | 64.9 |
| CP6-16 | 1" 45° Elbow | 5 | 0.219 | 99.3 |
| CP6-20 | 1-1/4" 45° Elbow | EA | 0.32 | 145.1 |
| CP6-24 | 1-1/2" 45° Elbow | EA | 0.617 | 279.9 |
| CP6-32 | 2" 45° Elbow | EA | 0.84 | 381.0 |
| CP6-40 | 2-1/2" 45° Elbow | EA | 1.61 | 730.3 |



45° Elbows - Continued

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------|------------------|---------|---------|--------|
| CP6-48 | 3" 45° Elbow | EA | 2.337 | 1060.0 |
| CP6-64 | 4" 45° Elbow | EA | 4.216 | 1912.3 |



45° Street Elbows (P x FTG)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|----------|-------------------------|---------|---------|--------|
| CP6-2-08 | 1/2" 45° Street Elbow | 10 | 0.085 | 38.6 |
| CP6-2-12 | 3/4" 45° Street Elbow | 10 | 0.145 | 65.8 |
| CP6-2-16 | 1" 45° Street Elbow | 5 | 0.200 | 90.7 |
| CP6-2-20 | 1-1/4" 45° Street Elbow | EA | 0.311 | 141.1 |
| CP6-2-24 | 1-1/2" 45° Street Elbow | EA | 0.591 | 268.1 |
| CP6-2-32 | 2" 45° Street Elbow | EA | 0.815 | 369.7 |
| CP6-2-40 | 2-1/2" 45° Street Elbow | EA | 1.555 | 705.3 |
| CP6-2-48 | 3" 45° Street Elbow | EA | 2.192 | 994.3 |
| CP6-2-64 | 4" 45° Street Elbow | EA | 4.02 | 1823.4 |



90° Elbows (P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|-----------------------|---------|---------|--------|
| CP7-08 | 1/2" 90° Elbow | 10 | 0.112 | 50.8 |
| CP7-12 | 3/4" 90° Elbow | 10 | 0.187 | 84.8 |
| CP7-12-08 | 3/4" x 1/2" 90° Elbow | 15 | 0.153 | 69.4 |
| CP7-16 | 1" 90° Elbow | 5 | 0.279 | 126.6 |
| CP7-16-12 | 1" x 3/4" 90° Elbow | 10 | 0.251 | 113.9 |
| CP7-20 | 1-1/4" 90° Elbow | EA | 0.426 | 193.2 |
| CP7-24 | 1-1/2" 90° Elbow | EA | 0.798 | 362.0 |
| CP7-32 | 2" 90° Elbow | EA | 1.149 | 521.2 |
| CP7-40 | 2-1/2" 90° Elbow | EA | 2.102 | 953.5 |
| CP7-48 | 3" 90° Elbow | EA | 3.032 | 1375.3 |
| CP7-64 | 4" 90° Elbow | EA | 5.726 | 2597.3 |
| CP74-08 | 1/2" 90° Elbow | 5 | 0.221 | 100.2 |
| CP74-12 | 3/4" 90° Elbow | 5 | 0.298 | 135.2 |



90° Elbows (P x P) - Continued

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|------------------|---------|---------|--------|
| CP74-16 | 1" 90° Elbow | EA | 0.45 | 204.1 |
| CP74-20 | 1-1/4" 90° Elbow | EA | 0.668 | 303.0 |
| CP74-24 | 1-1/2" 90° Elbow | EA | 0.961 | 435.9 |
| CP74-32 | 2" 90° Elbow | EA | 1.61 | 730.3 |




90° Drop Ear Elbows (P x FTG)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|----------|-------------------------|---------|---------|--------|
| CP735-08 | 1/2" 90° Drop Ear Elbow | 5 | 0.291 | 132.0 |



90° Street Elbows (P x FTG)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|----------|-------------------------|---------|---------|--------|
| CP7-2-08 | 1/2" 90° Street Elbow | 10 | 0.104 | 47.2 |
| CP7-2-12 | 3/4" 90° Street Elbow | 10 | 0.183 | 83.0 |
| CP7-2-16 | 1" 90° Street Elbow | 5 | 0.269 | 122.0 |
| CP7-2-20 | 1-1/4" 90° Street Elbow | EA | 0.404 | 183.3 |
| CP7-2-24 | 1-1/2" 90° Street Elbow | EA | 0.772 | 350.2 |
| CP7-2-32 | 2" 90° Street Elbow | EA | 1.105 | 501.2 |
| CP7-2-40 | 2-1/2" 90° Street Elbow | EA | 1.958 | 888.1 |
| CP7-2-48 | 3" 90° Street Elbow | EA | 2.862 | 1298.2 |
| CP7-2-64 | 4" 90° Street Elbow | EA | 5.513 | 2500.7 |



O-Rings

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|------------------|---------|---------|--------|
| CP45-40 | 2-1/2" O-Ring | 10 | 0.066 | 29.9 |
| CP45-48 | 3" O-Ring | 10 | 0.077 | 34.9 |
| CP45-64 | 4" O-Ring | 10 | 0.093 | 42.2 |



Tees (P x P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------|------------------|---------|---------|--------|
| CPT-08 | 1/2" Tee | 10 | 0.165 | 74.8 |
| CPT-12 | 3/4" Tee | 10 | 0.287 | 130.2 |
| CPT-16 | 1" Tee | 5 | 0.397 | 180.1 |
| CPT-20 | 1-1/4" Tee | EA | 0.518 | 235.0 |
| CPT-24 | 1-1/2" Tee | EA | 0.882 | 400.1 |
| CPT-32 | 2" Tee | EA | 1.102 | 499.9 |
| CPT-40 | 2-1/2" Tee | EA | 2.293 | 1040.1 |
| CPT-48 | 3" Tee | EA | 3.252 | 1475.1 |
| CPT-64 | 4" Tee | EA | 5.843 | 2650.3 |

Tees (P x P x FPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|------------------|---------|---------|--------|
| CPTF-08 | 1/2" Tee | 5 | 0.249 | 112.9 |
| CPTF-12 | 3/4" Tee | 5 | 0.348 | 157.9 |

Reducing Tees (P x P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------------|---|---------|---------|--------|
| CPT-08-08-12 | 1/2" x 1/2" x 3/4" Reducing Tee P x P x P | 10 | 0.287 | 130.2 |
| CPT-08-08-16 | 1/2" x 1/2" x 1" Reducing Tee P x P x P | 5 | 0.32 | 145.1 |
| CPT-12-08-08 | 3/4" x 1/2" x 1/2" Reducing Tee P x P x P | 10 | 0.278 | 126.1 |
| CPT-12-08-12 | 3/4" x 1/2" x 3/4" Reducing Tee P x P x P | 5 | 0.326 | 147.9 |
| CPT-12-12-08 | 3/4" x 3/4" x 1/2" Reducing Tee P x P x P | 10 | 0.243 | 110.2 |
| CPT-12-12-16 | 3/4" x 3/4" x 1" Reducing Tee P x P x P | 5 | 0.4 | 181.4 |
| CPT-16-08-12 | 1" x 1/2" x 3/4" Reducing Tee P x P x P | 5 | 0.4 | 181.4 |
| CPT-16-08-16 | 1" x 1/2" x 1" Reducing Tee P x P x P | 5 | 0.463 | 210.0 |
| CPT-16-12-08 | 1" x 3/4" x 1/2" Reducing Tee P x P x P | 5 | 0.368 | 166.9 |
| CPT-16-12-12 | 1" x 3/4" x 3/4" Reducing Tee P x P x P | 5 | 0.403 | 182.8 |
| CPT-16-12-16 | 1" x 3/4" x 1" Reducing Tee P x P x P | 5 | 0.453 | 205.5 |
| CPT-16-16-08 | 1" x 1" x 1/2" Reducing Tee P x P x P | 5 | 0.375 | 170.1 |
| CPT-16-16-12 | 1" x 1" x 3/4" Reducing Tee P x P x P | 5 | 0.41 | 186.0 |



Reducing Tees (P x P x P) - Continued

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------------|---------------------------------------|---------|---------|--------|
| CPT-16-16-20 | 1" x 1" x 1-1/4" Reducing Tee | EA | 0.568 | 257.6 |
| CPT-20-08-20 | 1-1/4" x 1/2" x 1-1/4" Reducing Tee | EA | 0.6 | 272.2 |
| CPT-20-12-08 | 1-1/4" x 3/4" x 1/2" Reducing Tee | EA | 0.467 | 211.8 |
| CPT-20-12-12 | 1-1/4" x 3/4" x 3/4" Reducing Tee | EA | 0.531 | 240.9 |
| CPT-20-12-16 | 1-1/4" x 3/4" x 1" Reducing Tee | EA | 0.561 | 254.5 |
| CPT-20-12-20 | 1-1/4" x 3/4" x 1-1/4" Reducing Tee | EA | 0.61 | 276.7 |
| CPT-20-16-08 | 1-1/4" x 1" x 1/2" Reducing Tee | EA | 0.457 | 207.3 |
| CPT-20-16-12 | 1-1/4" x 1" x 3/4" Reducing Tee | EA | 0.463 | 210.0 |
| CPT-20-16-16 | 1-1/4" x 1" x 1" Reducing Tee | EA | 0.507 | 230.0 |
| CPT-20-16-20 | 1-1/4" x 1" x 1-1/4" Reducing Tee | EA | 0.617 | 279.9 |
| CPT-20-20-08 | 1-1/4" x 1-1/4" x 1/2" Reducing Tee | EA | 0.471 | 213.6 |
| CPT-20-20-12 | 1-1/4" x 1-1/4" x 3/4" Reducing Tee | EA | 0.512 | 232.2 |
| CPT-20-20-16 | 1-1/4" x 1-1/4" x 1" Reducing Tee | EA | 0.554 | 251.3 |
| CPT-24-16-12 | 1-1/2" x 1" x 3/4" Reducing Tee | EA | 0.763 | 346.1 |
| CPT-24-16-16 | 1-1/2" x 1" x 1" Reducing Tee | EA | 0.806 | 365.6 |
| CPT-24-16-24 | 1-1/2" x 1" x 1-1/2" Reducing Tee | EA | 1.097 | 497.6 |
| CPT-24-20-12 | 1-1/2" x 1-1/4" x 3/4" Reducing Tee | EA | 0.744 | 337.5 |
| CPT-24-20-16 | 1-1/2" x 1-1/4" x 1" Reducing Tee | EA | 0.806 | 365.6 |
| CPT-24-20-20 | 1-1/2" x 1-1/4" x 1-1/4" Reducing Tee | EA | 0.856 | 388.3 |
| CPT-24-24-08 | 1-1/2" x 1-1/2" x 1/2" Reducing Tee | EA | 0.702 | 318.4 |
| CPT-24-24-12 | 1-1/2" x 1-1/2" x 3/4" Reducing Tee | EA | 0.808 | 366.5 |
| CPT-24-24-16 | 1-1/2" x 1-1/2" x 1" Reducing Tee | EA | 0.849 | 385.1 |
| CPT-24-24-20 | 1-1/2" x 1-1/2" x 1-1/4" Reducing Tee | EA | 0.893 | 405.1 |
| CPT-32-08-32 | 2" x 1/2" x 2" Reducing Tee | EA | 1.173 | 532.1 |
| CPT-32-16-16 | 2" x 1" x 1 Reducing Tee | EA | 0 | 0.0 |
| CPT-32-16-32 | 2" x 1" x 2" Reducing Tee | EA | 1.323 | 600.1 |
| CPT-32-20-20 | 2" x 1-1/4" x 1-1/4" Reducing Tee | EA | 1.173 | 532.1 |
| CPT-32-24-12 | 2" x 1-1/2" x 3/4" Reducing Tee | EA | 1.021 | 463.1 |
| CPT-32-24-16 | 2" x 1-1/2" x 1" Reducing Tee | EA | 1.097 | 497.6 |
| CPT-32-24-20 | 2" x 1-1/2" x 1-1/4" Reducing Tee | EA | 1.234 | 559.7 |
| CPT-32-24-24 | 2" x 1-1/2" x 1-1/2" Reducing Tee | EA | 1.36 | 616.9 |
| CPT-32-24-32 | 2" x 1-1/2" x 2" Reducing Tee | EA | 1.323 | 600.1 |



Reducing Tees (P x P x P) - Continued

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------------|---------------------------------------|---------|---------|--------|
| CPT-32-32-08 | 2" x 2" x 1/2" Reducing Tee | EA | 0.882 | 400.1 |
| CPT-32-32-12 | 2" x 2" x 3/4" Reducing Tee | EA | 0.926 | 420.0 |
| CPT-32-32-16 | 2" x 2" x 1" Reducing Tee | EA | 0.992 | 450.0 |
| CPT-32-32-20 | 2" x 2" x 1-1/4" Reducing Tee | EA | 1.058 | 479.9 |
| CPT-32-32-24 | 2" x 2" x 1-1/2" Reducing Tee | EA | 1.102 | 499.9 |
| CPT-40-12-40 | 2-1/2" x 3/4" x 2-1/2" Reducing Tee | EA | 2.059 | 933.9 |
| CPT-40-16-40 | 2-1/2" x 1" x 2-1/2" Reducing Tee | EA | 2.015 | 914.0 |
| CPT-40-20-40 | 2-1/2" x 1-1/4" x 2-1/2" Reducing Tee | EA | 2.082 | 944.4 |
| CPT-40-24-40 | 2-1/2" x 1-1/2" x 2-1/2" Reducing Tee | EA | 2.205 | 1000.2 |
| CPT-40-32-12 | 2-1/2" x 2" x 3/4" Reducing Tee | EA | 1.398 | 634.1 |
| CPT-40-32-16 | 2-1/2" x 2" x 1" Reducing Tee | EA | 1.424 | 645.9 |
| CPT-40-32-24 | 2-1/2" x 2" x 1-1/2" Reducing Tee | EA | 1.671 | 758.0 |
| CPT-40-32-32 | 2-1/2" x 2" x 2" Reducing Tee | EA | 1.841 | 835.1 |
| CPT-40-32-40 | 2-1/2" x 2" x 2-1/2" Reducing Tee | EA | 2.17 | 984.3 |
| CPT-40-40-08 | 2-1/2" x 2-1/2" x 1/2" Reducing Tee | EA | 1.484 | 673.1 |
| CPT-40-40-12 | 2-1/2" x 2-1/2" x 3/4" Reducing Tee | EA | 1.464 | 664.1 |
| CPT-40-40-16 | 2-1/2" x 2-1/2" x 1" Reducing Tee | EA | 1.521 | 689.9 |
| CPT-40-40-20 | 2-1/2" x 2-1/2" x 1-1/4" Reducing Tee | EA | 1.632 | 740.3 |
| CPT-40-40-24 | 2-1/2" x 2-1/2" x 1-1/2" Reducing Tee | EA | 1.81 | 821.0 |
| CPT-40-40-32 | 2-1/2" x 2-1/2" x 2" Reducing Tee | EA | 1.94 | 880.0 |
| CPT-48-12-48 | 3" x 3/4" x 3" Reducing Tee | EA | 2.955 | 1340.4 |
| CPT-48-16-48 | 3" x 1" x 3" Reducing Tee | EA | 2.886 | 1309.1 |
| CPT-48-20-48 | 3" x 1-1/4" x 3" Reducing Tee | EA | 2.928 | 1328.1 |
| CPT-48-24-48 | 3" x 1-1/2" x 3" Reducing Tee | EA | 3.045 | 1381.2 |
| CPT-48-32-32 | 3" x 2" x 2" Reducing Tee | EA | 2.331 | 1057.3 |
| CPT-48-32-40 | 3" x 2" x 2-1/2" Reducing Tee | EA | 2.606 | 1182.1 |
| CPT-48-32-48 | 3" x 2" x 3" Reducing Tee | EA | 2.955 | 1340.4 |
| CPT-48-40-32 | 3" x 2-1/2" x 2" Reducing Tee | EA | 2.467 | 1119.0 |
| CPT-48-40-40 | 3" x 2-1/2" x 2-1/2" Reducing Tee | EA | 2.867 | 1300.4 |
| CPT-48-40-48 | 3" x 2-1/2" x 3" Reducing Tee | EA | 3.184 | 1444.2 |
| CPT-48-48-08 | 3" x 3" x 1/2" Reducing Tee | EA | 1.945 | 882.2 |
| CPT-48-48-12 | 3" x 3" x 3/4" Reducing Tee | EA | 1.985 | 900.4 |



Reducing Tees (P x P x P) - Continued

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|--------------|-------------------------------|---------|---------|--------|
| CPT-48-48-16 | 3" x 3" x 1" Reducing Tee | EA | 2.064 | 936.2 |
| CPT-48-48-20 | 3" x 3" x 1-1/4" Reducing Tee | EA | 2.13 | 966.2 |
| CPT-48-48-24 | 3" x 3" x 1-1/2" Reducing Tee | EA | 2.328 | 1056.0 |
| CPT-48-48-32 | 3" x 3" x 2" Reducing Tee | EA | 2.5 | 1134.0 |
| CPT-48-48-40 | 3" x 3" x 2-1/2" Reducing Tee | EA | 2.904 | 1317.2 |
| CPT-64-48-32 | 4" x 3" x 2" Reducing Tee | EA | 4.04 | 1832.5 |
| CPT-64-48-48 | 4" x 3" x 3" Reducing Tee | EA | 4.917 | 2230.3 |
| CPT-64-64-08 | 4" x 4" x 1/2" Reducing Tee | EA | 3.374 | 1530.4 |
| CPT-64-64-12 | 4" x 4" x 3/4" Reducing Tee | EA | 3.4 | 1542.2 |
| CPT-64-64-16 | 4" x 4" x 1" Reducing Tee | EA | 3.654 | 1657.4 |
| CPT-64-64-20 | 4" x 4" x 1-1/4" Reducing Tee | EA | 3.667 | 1663.3 |
| CPT-64-64-24 | 4" x 4" x 1-1/2" Reducing Tee | EA | 3.793 | 1720.5 |
| CPT-64-64-32 | 4" x 4" x 2" Reducing Tee | EA | 4.022 | 1824.3 |
| CPT-64-64-40 | 4" x 4" x 2-1/2" Reducing Tee | EA | 4.536 | 2057.5 |
| CPT-64-64-48 | 4" x 4" x 3" Reducing Tee | EA | 4.855 | 2202.2 |
| CPT-64-48-32 | 4" x 3" x 2" Reducing Tee | EA | 4.04 | 1832.5 |
| CPT-64-48-48 | 4" x 3" x 3" Reducing Tee | EA | 4.917 | 2230.3 |
| CPT-64-64-08 | 4" x 4" x 1/2" Reducing Tee | EA | 3.374 | 1530.4 |
| CPT-64-64-12 | 4" x 4" x 3/4" Reducing Tee | EA | 3.4 | 1542.2 |
| CPT-64-64-16 | 4" x 4" x 1" Reducing Tee | EA | 3.654 | 1657.4 |
| CPT-64-64-20 | 4" x 4" x 1-1/4" Reducing Tee | EA | 3.667 | 1663.3 |
| CPT-64-64-24 | 4" x 4" x 1-1/2" Reducing Tee | EA | 3.793 | 1720.5 |
| CPT-64-64-32 | 4" x 4" x 2" Reducing Tee | EA | 4.022 | 1824.3 |
| CPT-64-64-40 | 4" x 4" x 2-1/2" Reducing Tee | EA | 4.536 | 2057.5 |
| CPT-64-64-48 | 4" x 4" x 3" Reducing Tee | EA | 4.855 | 2202.2 |

Reducing Tees (P x P x FPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------------|---------------------------------|---------|---------|--------|
| CPTF-12-12-08 | 3/4" x 3/4" x 1/2" Reducing Tee | 5 | 0.304 | 137.9 |
| CPTF-16-16-08 | 1" x 1" x 1/2" Reducing Tee | 5 | 0.415 | 188.2 |
| CPTF-16-16-12 | 1" x 1" x 3/4" Reducing Tee | 5 | 0.493 | 223.6 |



Reducing Tees (P x P x FPT) - *Continued*

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------------|-------------------------------------|---------|---------|--------|
| CPTF-20-20-08 | 1-1/4" x 1-1/4" x 1/2" Reducing Tee | EA | 0.529 | 240.0 |
| CPTF-20-20-12 | 1-1/4" x 1-1/4" x 3/4" Reducing Tee | EA | 0.595 | 269.9 |
| CPTF-24-24-08 | 1-1/2" x 1-1/2" x 1/2" Reducing Tee | EA | 0.809 | 367.0 |
| CPTF-24-24-12 | 1-1/2" x 1-1/2" x 3/4" Reducing Tee | EA | 0.901 | 408.7 |
| CPTF-32-32-08 | 2" x 2" x 1/2" Reducing Tee | EA | 1.151 | 522.1 |
| CPTF-32-32-12 | 2" x 2" x 3/4" Reducing Tee | EA | 1.301 | 590.1 |
| CPTF-32-16-16 | 2" x 1" x 1" Reducing Tee | EA | 1.173 | 532.1 |



Unions (P x P)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|---------|------------------|---------|---------|--------|
| CP33-08 | 1/2" Union | EA | 0.331 | 150.1 |
| CP33-12 | 3/4" Union | EA | 0.488 | 221.4 |
| CP33-16 | 1" Union | EA | 0.862 | 391.0 |
| CP33-20 | 1-1/4" Union | EA | 1.071 | 485.8 |
| CP33-24 | 1-1/2" Union | EA | 1.76 | 798.3 |
| CP33-32 | 2" Union | EA | 2.885 | 1308.6 |

Unions (P x FPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|------------------|---------|---------|--------|
| CP33-3-08 | 1/2" Union | EA | 0.29 | 131.5 |
| CP33-3-12 | 3/4" Union | EA | 0.414 | 187.8 |
| CP33-3-16 | 1" Union | EA | 0.802 | 363.8 |
| CP33-3-20 | 1-1/4" Union | EA | 0.972 | 440.9 |
| CP33-3-24 | 1-1/2" Union | EA | 1.68 | 762.0 |
| CP33-3-32 | 2" Union | EA | 2.85 | 1292.7 |



Unions (P x MPT)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|------------------|---------|---------|--------|
| CP33-4-08 | 1/2" Union | EA | 0.309 | 140.2 |
| CP33-4-12 | 3/4" Union | EA | 0.495 | 224.5 |
| CP33-4-16 | 1" Union | EA | 0.888 | 402.8 |
| CP33-4-20 | 1-1/4" Union | EA | 1.13 | 512.6 |
| CP33-4-24 | 1-1/2" Union | EA | 1.601 | 726.2 |
| CP33-4-32 | 2" Union | EA | 2.844 | 1290.0 |



Dielectric Unions (P x FIP)

| PART # | OD - DESCRIPTION | BOX QTY | WT (LB) | WT (G) |
|-----------|-------------------------|---------|---------|--------|
| CP35-3-08 | 1/2" Dielectric Union | EA | 0.816 | 370.1 |
| CP35-3-12 | 3/4" Dielectric Union | EA | 1.147 | 520.3 |
| CP35-3-16 | 1" Dielectric Union | EA | 1.041 | 472.2 |
| CP35-3-20 | 1-1/4" Dielectric Union | EA | 1.537 | 697.2 |
| CP35-3-24 | 1-1/2" Dielectric Union | EA | 1.822 | 826.4 |
| CP35-3-32 | 2" Dielectric Union | EA | 2.827 | 1282.3 |



FAST ORDER TURNAROUND

Our Operations Center is strategically located in the Memphis, Tennessee metro area to streamline delivery and bolster the customer service that NDL is known for throughout the industry.



We Focus on Quality and Service So You Can Install with Confidence.

Since 1998, our mission has been to stay ahead of the curve as an industry leader in the HVAC, Refrigeration, and Plumbing markets. We have achieved this over the years by heavily emphasizing quality, and innovation, and maintaining a global team of experienced professionals to deliver top-notch service. We continue to hold ourselves to the highest standards, never sacrificing our commitment to our customers or our product that has what made us the company we are today.

What you can expect from us:

- Fast order turnaround
- Real-time order communications
- Field-experienced sales and technical support
- Parts packaged in contractor-friendly sized bags
- High-quality control standards for superior fit and finish



Offering the Same High-Quality Standards with all of our Plumbing Products.

Building on our success gained from our HVAC-R products, we have grown our offerings to include plumbing products as well which include PAC Fittings that are ASME approved. Consider NDL for copper press fittings, plumbing (WOG) valves, PEX, PPSU PEX, PVC, water hose connectors and more!

See all of our plumbing products at [ndlinc.com](https://www.ndlinc.com).



Explore our full line of high-quality HVAC-R and plumbing products.

[ndlinc.com](https://www.ndlinc.com) | 1-866-635-6888 | sales@ndlinc.com

@ndlindustries

